



LABORATORIO DE ANÁLISIS Y CONTROL DE CALIDAD

- | | | |
|-------------|--------------|-------------|
| 1. c | 28. a | 55. a |
| 2. c | 29. b | 56. c |
| 3. b | 30. b | 57. c |
| 4. b | 31. b | 58. a |
| 5. a | 32. c | 59. b |
| 6. c | 33. a | 60. b |
| 7. a | 34. b | 61. ANULADA |
| 8. b | 35. c | 62. a |
| 9. c | 36. b | 63. b |
| 10. c | 37. a | 64. c |
| 11. ANULADA | 38. c | 65. c |
| 12. c | 39. a | 66. a |
| 13. b | 40. b | 67. c |
| 14. a | 41. b | 68. b |
| 15. b | 42. c | 69. c |
| 16. b | 43. a | 70. c |
| 17. ANULADA | 44. b | 71. a |
| 18. a | 45. c | 72. c |
| 19. b | 46. a | 73. b |
| 20. c | 47. c | 74. a |
| 21. b | 48. c | 75. b |
| 22. ANULADA | 49. b | 76. c |
| 23. c | 50. b | 77. a |
| 24. ANULADA | 51. b | 78. a |
| 25. a | 52. a | 79. c |
| 26. b | 53. b | 80. c |
| 27. c | 54. a | |